


DATE

PROJECT

TYPE

# CTL2820 SERIES | PAR20 Front Relamping Gimbal Line Voltage Track Luminaire



|               |  |
|---------------|--|
| MAX. WATTAGE  | One (1) 120V 50W PAR20, E26 Medium Base  |
| COMPATIBILITY | CTL Units are compatible with ConTech Lighting LT/LT2 Single Circuit/Two Circuit Track Systems as well as Juno <sup>®</sup> Lighting Trac-Lites™ (R) and Trac-Master™ (T, TU) Track Systems<br>HTL Units are compatible with Halo <sup>2</sup> Power-Trac (L64, L65) and Lazer (LZR) Track Systems<br>LTL Units are compatible with Lightolier <sup>3</sup> Lytespan <sup>®</sup> 6000/1/2 Track Systems |
| LISTINGS      | cCSAus Certified<br>Suitable for Dry Locations only  |
| WARRANTY      | One (1) year replacement after date of purchase  |

## PRODUCT DETAILS

- Two-plane Gimbal design permits maximum horizontal and vertical swivel for excellent aiming
- Sure-Set yoke holds luminaire firmly in place
- Integral ON/OFF Switch and Track Polarity Indicator are standard
- Will accept one (1) LF20 86MM Lens by using FA-28 Black Accessory Mounting Clips
- Standard ConTech track luminaires (CTL Units) are cCSAus certified as-is for use with ConTech Lighting LT/LT2 Single Circuit/Two Circuit and Luxbeam Track Systems, as well as Juno<sup>®</sup> Lighting Trac-Master™ Systems.
- By changing the prefix of the part number, ConTech can install inserts which make our fixtures compatible with other manufacturers. Replace "CTL" with "HTL" for Halo<sup>2</sup> Power-Trac (L64, L65) and Lazer (LZR) Track Systems, "LTL" for Lightolier<sup>3</sup> Lytespan<sup>®</sup> 6000/1/2 Track Systems. For more information, please consult factory.

1. Juno is a registered trademark of Juno Lighting  
2. Halo is a registered trademark of Cooper Lighting  
3. Lightolier is a registered trademark of Signify

## ORDERING INFORMATION

Example Order:  -

| Track System     | Luminaire | Finish    | Accessories   |
|------------------|-----------|-----------|---|
| CTL - ConTech    | 2820      | B - Black | FA-28 - Black Accessory Mounting Clips              |
| HTL - Halo       |           | P - White | LF20-* 86MM - 3-3/8-Inch Dia. Tempered Glass Lenses |
| LTL - Lightolier |           |           |   |

### \*Color/Pattern Legend

-73 (Spread Lens), -LS (Linear Spread Lens), -SL (Soft Light), -SOL (Solite),  
-UV (Optivex UV Filter), -A (Amber), -B (Blue), -CL (Clear), -G (Green), -LB (Light Blue),  
-R (Red), -RO (Rose), -Y (Yellow)